



EASYDECK

EDGE PROTECTION BROCHURE



UK 0845 382 1000
www.safesmartaccess.co.uk
EDITION 3



EASYDECK EDGE PROTECTION




EASYDECK EDGE PROTECTION

- Protect from roof falls while working on the soffit and wall of the building.
- Free-standing system - does not require any fixing in.
- Fast, two person set up.
- Unique combination of the EasyRail edge protection system, SafeSmart Access prefabricated platforms and cantilever support brackets.
- Height adjustable screw jacks allow for uneven ground.
- Platform height is adjustable along the length of the EasyRail post.
- Can also be put on wheels and utilised in modules, provide access edge protection when working on structures such as portable buildings.



SCAN CODE
TO VIEW
VIDEO





EASYDECK EDGE PROTECTION

FEATURES & BENEFITS



A HIGH STRENGTH, LIGHTWEIGHT WELDED ALUMINIUM STRUCTURE



PROTECT FROM ROOF FALLS WHILE WORKING ON THE SOFFIT AND WALL OF THE BUILDING



THIS IS A MULTI USE SYSTEM COMBINATION



SYSTEM IS FREE STANDING, DOES NOT REQUIRE ANY FIXING TO THE BUILDING



FAST, TWO PERSON SET UP, IT REDUCES DOWNTIME ON THE JOB SAVING TIME AND MONEY



UNIQUE COMBINATION OF THE EASY RAIL EDGE PROTECTION SYSTEM, SAFESMART ACCESS PREFABRICATED PLATFORMS AND CANTILEVER SUPPORT BRACKETS



THE SYSTEM INCORPORATES MANY STANDARD SAFESMART SCAFFOLD COMPONENTS INCLUDING GUARDRAILS AND PLATFORMS. YOU CAN SAVE MONEY BY ADDING TO THE SCAFFOLD COMPONENTS YOU ALREADY HAVE



CERTIFIED ALUMINIUM OR WOODEN PLANKS CAN ALSO BE USED TO CREATE A WORK PLATFORM



HEIGHT ADJUSTABLE SCREW JACKS ALLOW FOR UNEVEN GROUND



THE BASE FRAME CAN BE LOCATED ON THE TOP OF STANDARD SAFESMART ACCESS FRAMES TO ENABLE QUICK AND SAFE ACCESS AND EDGE PROTECTION ON TWO STOREY HOMES




PLATFORM HEIGHT IS TOTALLY ADJUSTABLE ALONG THE LENGTH OF THE EASY RAIL POST



PACK F - 3M STARTER BAY

Pack F	Description	Batch Qty
230233	Adjustable Base Plate	4
210420	Alloy EasyRail Frame - Includes Brace & Spigots	2
210422	0.65m alloy EasyRail Cantilever Bracket	2
HS013	3.0m Standard Platform	1
210230	4.0m Alloy EasyRail Truss - Roof Post	2
210423	3.0m Alloy EasyRail Truss Diagonal Brace	1
HS037	3.0m Grasper Guardrail	1
210237	EasyRail Fixed Double Coupler	8


- Toeboard are required if the platform is over 2m in height.
- Timber scaffold planks can be used to create a toeboard.



PACK G - 6M HANDRAIL

Pack G	Description	Batch Qty
290703	6.05m Alloy EasyRail Tube	4
HS046	EasyRail Internal Joining Spigot	4
210237	EasyRail Fixed Double Coupler	4

- Attach to EasyRail roof with fixed double couplers.
- Join together with expanding spigots.




NOTE : Handrails can be cut to length P.O.A

PACK H - 3M ADD ON BAY

Pack H	Description	Batch Qty
HS037	3.0m Grasper Guardrail	1
HS013	3.0m Standard Platform	1
210230	4.0m Alloy EasyRail Truss - Roof Post	1
230233	Adjustable Base Plate	2
210420	Alloy EasyRail Frame - Includes Brace & Spigots	1
210237	EasyRail Fixed Double Coupler	4
210422	0.65m Alloy EasyRail Cantilever Bracket	1

- Outriggers must be used every 3 bays minimum.
- Diagonals must be used every 4 bays minimum.
- 4.0m x 6.0m Guardrails need to be added every second bay.






PACK I - 2.4M ADD ON BAY

Pack I	Description	Batch Qty
HS033	2.4m Grasper Guardrail	1
HS007	2.4m Standard Platform	1
210230	4.0m Alloy EasyRail Truss, Roof Post	1
230233	Adjustable Base Plate	2
210420	Alloy EasyRail Frame - Includes Brace & Spigots	1
210237	EasyRail Fixed Double Coupler	4
210422	0.65m Alloy EasyRail Cantilever Bracket	1



PACK J - 21M STRAIGHT PLATFORM EDGE PROTECTION


Pack J	Description	Batch Qty
HS046	EasyRail Internal Joining Spigot	12
230233	Adjustable Base Plate	16
210420	Alloy EasyRail Frame - Includes Brace & Spigots	8
210422	0.65m Alloy EasyRail Cantilever Bracket	8
HS013	3.0m Standard Platform	7
210230	4.0m Alloy EasyRail Truss - Roof Post	8
210423	3.0m Alloy EasyRail Diagonal Brace	2
230234	6.05m Alloy EasyRail Tube	14
HS027	3.0m Grasper Guardrail	7
210237	EasyRail Fixed Double Coupler	32
HS035	Outrigger	2





PACK K - 70M HOUSELOT

Pack K	Description	Batch Qty
HS033	2.4m Grasper Guardrail	2
HS037	3.0m Grasper Guardrail	23
210082	3.0m Reinforced Grasper Ledger	4
HS007	2.4m Standard Platform	2
HS013	3.0m Standard Platform	22
210228	2.0m Alloy EasyRail Truss - Roof Post	2
210230	4.0m Alloy EasyRail Truss - Roof Post	29
HS046	EasyRail Internal Joining Spigot	28
230233	Adjustable Base Plate	62
210420	Alloy EasyRail Frame - Includes Brace & Spigots	31
210237	EasyRail Fixed Double Coupler	144
210422	0.65m Alloy EasyRail Cantilever Bracket	31
210423	3.0m Alloy EasyRail Diagonal Brace	9
LAG0.5	Ladder Access Gate	2
290703	Alloy EasyRail Tube	330
HS035	Outrigger	4



- A comprehensive pack of equipment that includes multiple internal and external corner kits as well as two gated access points.





EASYDECK ACCESSORIES

PLATFORM SUPPORT BRACKET

Attaches to the roof post and supports the work platform.



Code

210422

EASYRAIL 4.0M ROOF POST

Strong and lightweight. Can be joined vertically.



Code

210230

SCREW JACKS




Code

230233

OUTRIGGERS

Connect to roof posts and provide extra stability to the system. Must be used every 3 bays minimum.




Code

HS035

ALUMINIUM EASYRAIL TUBE

Can be cut to specific lengths. Used for toerail, midrail and handrails. Up to 6m span between posts.



Code

290703

90° FIXED COUPLER

Used for attaching horizontal rails to the posts.



Code

210237

SWIVEL COUPLER

Used for attaching guardrails to the posts that are not 90-degrees to it. E.g. gable ends.




Code

210232

BASE FRAME

Supports the roof post using two internal joining spigots.



Code

210420

INTERNAL JOINING SPIGOT

Used for joining tubes together end-to-end by expanding inside them.



Code

HS046

3.0M STANDARD PLATFORM

Hook over the platform support bracket.



Code

HS013

3.0M SNAPLOCK GUARDRAIL

Used to connect the base frames together longitudinally. Can also be used as a guardrail.



Code

HS037

3.0M DIAGONAL BRACE

Must be used every 4 bays minimum.



Code

210423

REINFORCED GRASPER LEDGER (2 sizes)

Used to span across corners.



Code

210081 & 210082

PROSCAF SWING GATE

Used where the ladder access is outside the platform.



Code

210078

3.0M HATCH PLATFORM

Ladder protrudes through the hatch lid for use when the ladder access is within the platform.



Code

HS036

HANDRAIL POST

Attaches to the inner sleeve on the platform support bracket where the platform edge is greater than 225mm away from the wall.



Code

210079



RiverBridge House, Anchor Boulevard, Dartford, London, DA2 6SL



www.safesmartaccess.co.uk | sales@safesmartaccess.co.uk